## CONTROL CONTRO



### PUMP DRIVE F600

SIMPLE, RELIABLE FLOW CONTROL
AC DRIVES, SPECIALIST

NEW

DRIVE OBSESSED

# SPECIALIST PUMP DRIVE ALL THE RELIABILITY AND EFFICIENCY YOU WILL EVER NEED

Control Techniques has set the standards in motor control since 1973.

Applications involving the flow of water demand extreme reliability and low energy consumption. Control Techniques' F600, part of the newly introduced Specialist series of industry-specific drive technologies, builds on our company's five decades of drives expertise, delivering precise, dependable flow control.


Everything you need is baked into the drive itself. The F600 packs all of the features you'll need, presented using terminology you'll understand. This isn't a generic drive with pump features tacked on; it's a dedicated, specialist pump drive, designed from the ground up to deliver the reliability and efficiency you need.

### Free 5 year warranty\*

Drives in the F600 range are eligible for Control Techniques' extended warranty, at no extra cost. It is a testament to our exceptional track record for reliability, giving you total peace of mind that your investment is protected and your site will continue to run uninterrupted.



Warranty terms and conditions apply



### **Drive ratings**

| Pump Drive F600 | 200 V                                    | 400 V                                   | 575 V                                    | 690 V                                    |
|-----------------|--|---|--|--|
|                 |  | Single drive                            |  | Single drive                             |
| Nominal Current | 6.6 – 360 A                              | 3.4 – 865 A                             | 3.9 – 315 A                              | 23 – 305 A                               |
| Nominal Power   | 1.1 – 110 kW<br>1.5 – 150 hp             | 1.1 – 500 kW<br>1.5 – 700 hp            | 2.2 – 250 kW<br>3 – 350 hp               | 18.5 – 280 kW<br>25 – 400 hp             |
| Overload        | Maximum overload 110%                    |   |  |  |
| Input Voltage   | 3 phase 200 – 240 Vac,<br>50-60 Hz ± 10% | 3 phase 380 – 480 Vac, 50-60 Hz<br>±10% | 3 phase 500 – 575 Vac,<br>50-60 Hz ± 10% | 3 phase 500 – 690 Vac,<br>50-60 Hz ± 10% |


### Key features of the Pump Drive F600




- No-flow detection
- Over-cycling protection
- Pipe fill
- Cleaning / de-ragging



Guided setup screens for pumps within Connect software tool





© 2020 Nidec Control Techniques Limited. The information contained in this brochure is for guidance only and does not form part of any contract. The accuracy cannot be guaranteed as Nidec Control Techniques Ltd have an ongoing process of development and reserve the right to change the specification of their products without notice.

Nidec Control Techniques Limited. Registered Office: The Gro, Newtown, Powys SY16 3BE. Registered in England and Wales. Company Reg. No. 01236886